

## Frumil



Generic Frumil is a combination of two diuretics used for treating fluid retention (oedema), either in the legs or on the lungs.

Active ingredient: Amiloride And Furosemide

Brand(s): Amifru

Manufacturer: Elder Pharmaceuticals Pvt Ltd

Disease(s): Oedema

### Frumil 5mg + 40mg

|            | Per pill | Per Pack                                | Order                       |
|------------|----------|---|-----------------------------|
| 30 tablet  | \$ 1.20  | <b>\$ 35.95</b>                         | <a href="#">Add to cart</a> |
| 60 tablet  | \$ 1.17  | <b>\$ 69.95</b><br><del>\$71.90</del>   | <a href="#">Add to cart</a> |
| 90 tablet  | \$ 1.11  | <b>\$ 99.95</b><br><del>\$107.85</del>  | <a href="#">Add to cart</a> |
| 120 tablet | \$ 1.08  | <b>\$ 129.95</b><br><del>\$143.80</del> | <a href="#">Add to cart</a> |
| 180 tablet | \$ 0.89  | <b>\$ 159.95</b><br><del>\$215.70</del> | <a href="#">Add to cart</a> |

Free AirMail shipping

## Amiloride and Furosemide tablet

### What is this medicine?

AMILORIDE; FUROSEMIDE is a diuretic. It helps you make more urine and to lose excess water from your body. This medicine is used to treat fluid retention.

### What should my health care professional know before I take this medicine?

They need to know if you have any of these conditions:

- diabetes
- abnormal blood electrolytes
- diarrhea or vomiting
- gout
- heart disease
- high levels of potassium in the blood
- kidney or liver disease
- an unusual or allergic reaction to amiloride, furosemide, other medicines, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

### How should I take this medicine?

Take this medicine by mouth with a glass of water. Follow the directions on the prescription label. If it upsets your stomach, take it with food or milk. Take your doses at regular intervals. Do not take your medicine more often than directed. Remember that you will need to pass more urine after taking this medicine. Do not stop taking except on the advice of your doctor or health care professional.

Talk to your pediatrician regarding the use of this medicine in children. While this drug may be prescribed for selected conditions, precautions do

