

Besivance 0.6% 5ml

	Per pill	Per Pack	Order
1 dropper	\$ 24.95	\$ 24.95	Add to cart
2 dropper	\$ 22.98	\$ 45.95 \$49.90	Add to cart
3 dropper	\$ 21.98	\$ 65.95 \$74.85	Add to cart
4 dropper	\$ 20.99	\$ 83.95 \$99.80	Add to cart
5 dropper	\$ 19.99	\$ 99.95 \$124.75	Add to cart

Besivance ophthalmic

What is Besivance?

Besivance (besifloxacin) belongs to a group of antibiotics called fluoroquinolones. Besifloxacin fights bacteria in the body.

Besivance is an antibiotic medication that is used to treat bacterial infections of the eyes.

Besivance may also be used for purposes not listed in this medication guide.

Important Information

You should not use Besivance if you are allergic to besifloxacin.

Use this medication exactly as prescribed by your doctor. Do not use it in larger amounts or for longer than recommended. Follow the directions on your prescription label.

Serious side effects of Besivance may include eye drainage or crusting, severe eye irritation, feeling like there is something in your eye, eye redness or swelling, fever, or any signs of new infection.

Keep using Besivance for the full prescribed length of time. Your symptoms may improve before the infection is completely cleared.

Do not use this medication while you are wearing contact lenses. This medication may contain a preservative that can be absorbed by soft contact lenses. Wait at least 15 minutes after using Besivance before putting your contact lenses in.

You should not wear contact lenses while you still have active symptoms of the eye infection you are treating.

Before taking this medicine

You should not use Besivance if you are allergic to besifloxacin.

Before using this medication, tell your doctor if you are pregnant or plan to become pregnant during treatment. It is not known whether besifloxacin passes into breast milk or if it could harm a nursing baby. Do not use Besivance without telling your doctor if you are breast-feeding a baby.

How should I use Besivance?

Use Besivance eye drops exactly as prescribed by your doctor. Follow all directions